



Nebraska On-Farm Research Network

Years: 2003

Title: Wireworm Insecticides

Crop: Corn

Study ID: 029053200302

County: Dodge

Objective: To determine and document the influence of insecticide applied with fertilizer as compared to planter box treatment on the profitability of corn production.

Treatments: KernelGuard planter box treatment at standard dose vs. 1 oz/ac Baythroid 2 in 4.5 gal/ac 10-34-0 applied in seed slot at planting. (Both treatments received the same amount of 10-34-0 in seed slot).

Nebraska Soybean & Feed Grains Profitability Project



Extension is a Division of the Institute of Agriculture and Natural Resources at the University of Nebraska–Lincoln cooperating with the Counties and the United States Department of Agriculture.

University of Nebraska–Lincoln Extension educational programs abide with the nondiscrimination policies of the University of Nebraska–Lincoln and the United States Department of Agriculture.



Nebraska On-Farm Research Network

Results: 2003 (DK611)

Wireworms @ 0.8/trap April, 2003

<u>Variable</u>	<u>Kernel Guard</u>	<u>Baythroid</u>	<u>Prob >/T/</u>
Yield, bu/ac at 15.5%	113	121	0.015 **
Moisture, %	16.2	16.2	0.629 ns
Pop., 1000 plants/ac	21.6	21.7	0.854 ns
Cost/ac	\$1.25	\$2.50	

Summary: Grain yield was significantly higher where Baythroid was applied in 2003.

Nebraska Soybean & Feed Grains Profitability Project



Extension is a Division of the Institute of Agriculture and Natural Resources at the University of Nebraska–Lincoln cooperating with the Counties and the United States Department of Agriculture.

University of Nebraska–Lincoln Extension educational programs abide with the nondiscrimination policies of the University of Nebraska–Lincoln and the United States Department of Agriculture.