



# Nebraska On-Farm Research Network

## Soybean Inoculant Comparison

Study ID: 053155199801

**County: Saunders**

**1998**

**OBJECTIVE:** To determine and document the effect of inoculation on the profitability of soybean production.

TREATMENTS:	<u>Cost/acre</u>
-------------	------------------

No inoculant	-----
Standard inoculant	\$1.00
Urbana inoculant	\$1.33

**RESULTS:**

Moisture	(%)
None	12.3
Standard	12.2
Urbana	12.1**
Seed Yield	(bu/ac @ 13%)
None	50
Standard	50
Urbana	50
Test Weight	(lbs/ac)
None	55.7
Standard	55.3***
Urbana	55.7
Population	(1,000's/ac)
None	136.6
Standard	130.1
Urbana	143.6**

\*\* significantly different at 95% confidence level

\*\*\* significantly different at 99% confidence level

**Summary:** In 1998, seed yield of soybeans was not influenced by seed inoculation. The use of Urbana inoculant resulted in slightly drier seed at harvest and a higher plant population. The use of standard inoculant resulted in the lowest seed test weight. The field in which this study was conducted has a long term history of corn/soybean rotation

**Nebraska Soybean & Feed Grains Profitability Project**



Extension is a Division of the Institute of Agriculture and Natural Resources at the University of Nebraska–Lincoln cooperating with the Counties and the United States Department of Agriculture.

University of Nebraska–Lincoln Extension educational programs abide with the nondiscrimination policies of the University of Nebraska–Lincoln and the United States Department of Agriculture.