

Soybeans Planted into Rye Cover Crop

Study ID: 064099201701

County: Kearney

Soil Type: Coly-Kenesaw loam 0-3% slope; Hersh fine sandy loam 0-6% slopes; Kenesaw silt loam 0-1% slope; Libory loamy fine sand 0-3% slope; Coly silt loam 3-6% slopes

Planting Date: 5/8/17

Harvest Date: 10/13/17 and 10/16/17

Population: 170,000

Row Spacing (in): 10

Variety: Pioneer 24T84X

Reps: 6

Previous Crop: Corn

Tillage: No-Till

Seed Treatment: ILeVO®

Soil Samples (Nov. 2016):


N (lb)	P (ppm)	K (ppm)	S (ppm)	Zn (ppm)
53	66	396	15	6.52

Fertilizer: 20 ton/ac feedlot manure spread on field in March 2016

Herbicides: **Pre:** 2,4-D LV6 on 4/8/17; 53 oz/ac glyphosate and 2.9 oz/ac Elite, and 10 oz/ac Sharpen® on 5/5/17 **Post:** 49 oz/ac glyphosate, 22 oz/ac Extendimax®, 6 oz/ac Outlook®, 1.5 oz/ac Zidua®

Irrigation: Pivot, Total: 7"

Rainfall (in):



Introduction: This study compared the effects of a cereal rye cover crop on the soybean crop yield. The rye treatment was compared with a no cover crop check. Rye was drilled following corn harvest in 10" rows on Nov. 1, 2016. The rye was terminated with glyphosate on May 5, 2017. Soybeans were drilled in 10" rows on May 8, 2017. The satellite imagery from April 19, 2017, shows the rye and no rye strips prior to termination (Figure 1). A close-up is shown in Figure 2.



Figure 1. Aerial imagery of the study area from April 19, 2017.



Figure 2. Soybeans growing in corn stubble only (no cover crop) (left) and in rye cover crop (right) on June 27, 2017.

Results:

	Harvest Stand Count	Moisture (%)	Yield (bu/acre)†	Marginal Net Return‡ (\$/ac)
Check	153,267	12.0 B*	80 A	714.25 A
Cover Crop - Rye	138,027	12.1 A	81 A	692.20 B
P-Value	-	0.058	0.682	0.008

*Values with the same letter are not significantly different at a 90% confidence level.

†Bushels per acre corrected to 13% moisture.

‡Marginal net return based on \$8.90/bu soybean and \$24.30 cover crop cost.

Summary:

- Statistics were not completed on the harvest stand counts as counts were not made for each replication.
- There was no yield difference for the soybeans following the rye cover crop treatment compared with the soybeans following no cover crop.
- The marginal net return was lower for the soybeans following the rye cover crop due to the increased input costs for establishing cover crops.

Sponsored by:



In Partnership with:



Extension is a Division of the Institute of Agriculture and Natural Resources at the University of Nebraska–Lincoln cooperating with the Counties and the United States Department of Agriculture. University of Nebraska–Lincoln Extension educational programs abide with the nondiscrimination policies of the University of Nebraska–Lincoln and the United States Department of Agriculture.

©2017