

Nebraska On-Farm Research Network

Conventional Tillage vs. No-till Soybeans

Study ID: 104025199301

County: Cass Year: 1993

OBJECTIVE: To determine and document the profitability of conventional tillage vs no-till soybeans.

CONVENTIONAL TILLAGE NO-TILL

Treatment: Treatment:

Cultivate

Herbicide: 1 quart Prowl, 1 pint Herbicide: 1 quart Prowl, 1 pint Command

Command and 3.2 ounces Scepter and 3.2 ounces Scepter

Plant

Harvest Harvest

Comparative cost (per acre) Comparative cost (per acre)

Field Cultivation \$5.81 None \$0.00

Nebraska Soybean & Feed Grains Profitability Project



Extension is a Division of the Institute of Agriculture and Natural Resources at the University of Nebraska–Lincoln cooperating with the Counties and the United States Department of Agriculture.



Nebraska On-Farm Research Network

Conventional Tillage vs No-till Soybeans

Page 2

VARIABLE	SOYBEANS
Final population (seeds/acre) Conventional No-till	155,900 153,900
Plant height Conventional No-till	33.4" 31.4"
Pod height Conventional No-till	8.6" 8.5"
Moisture (%) Conventional No- till	10.5 10.5
Test weight (pounds/bushel) Conventional No-till	57.3 57.3
Yield (13 %) (bushels/acre) Conventional No-till	46 45

Summary: There was no significant difference in yield between the conventional tillage and no-till treatment in 1993. The additional field cultivation in the conventional tillage treatment cost approximately \$5.81/acre.

Nebraska Soybean & Feed Grains Profitability Project



Extension is a Division of the Institute of Agriculture and Natural Resources at the University of Nebraska–Lincoln cooperating with the Counties and the United States Department of Agriculture.

University of Nebraska–Lincoln Extension educational programs abide with the nondiscrimination policies of the University of Nebraska–Lincoln and the United States Department of Agriculture.